

2/8/2017

Tonnages listed are ESTIMATED for planning purposes and they are based on a series of new barges and a barge in level loading condition with all voids free of water and sediment. Cargo weights should be determined using scale weights or other verifiable methods.

Barge	Official #	Type	Year Built	Builder	Hull Size			Gross Tons	# of Covers		Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft											
					L	W	D		W.T.	#				Type	2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"	
ALM 1R	1258418	R	2015	Trinity	200	35	13	764	4	O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185			
ALM 3R	1258419	R	2015	Trinity	200	35	13	764	4	O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185			
ALM 5R	1258420	R	2015	Trinity	200	35	13	764	4	O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185			
ALM 7R	1258421	R	2015	Trinity	200	35	13	764	4	O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185			
ALM 9R	1258422	R	2015	Trinity	200	35	13	764	4	O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185			
ALM 11R	1258423	R	2015	Trinity	200	35	13	764	4	O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185			
ALM 2B	1258424	B	2015	Trinity	200	35	13	764	5	O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305			
ALM 4B	1258425	B	2015	Trinity	200	35	13	764	5	O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305			
ALM 6B	1258426	B	2015	Trinity	200	35	13	764	5	O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305			
ALM 8B	1258427	B	2015	Trinity	200	35	13	764	5	O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305			
ALM 10B	1258428	B	2015	Trinity	200	35	13	764	5	O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305			
ALM 12B	1258429	B	2015	Trinity	200	35	13	764	5	O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305			
B 0753	1196906	R	2007	Jeffboat	200	35	13	764	5	O	70,198	3'	1'6"		1423	1530	1638	1745	1853	1962	2070	2179			
B 0757	1196915	R	2007	Jeffboat	200	35	13	764	5	O	70,198	3'	1'6"		1423	1530	1638	1745	1853	1962	2070	2179			
B 0758B	1196910	B	2007	Jeffboat	200	35	13	764	5	O	78,742	3'	1'6"		1514	1623	1723	1842	1951	2060	2170	2279			
B 0761B	1196913	B	2007	Jeffboat	200	35	13	764	5	O	78,742	3'	1'6"		1514	1623	1723	1842	1951	2060	2170	2279			
BASH 1	1211374	R	2008	Trinity	195	35	12	687	5	O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050				
BJP 1401	1274152	R	2016	Jeffboat	200	35	14	823	5	O	87,350	5'	1'6"	77	1427	1533	1640	1747	1855	1963	2071	2179	2288		
BJP 1402B	1274153	B	2016	Jeffboat	200	35	14	823	5	O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422		
CH 9371	993510	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9372	993511	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9373	993512	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9374	993513	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9375	993514	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9376	994781	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9377	994782	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9378	994783	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9379	994784	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9380	994785	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920	2025	2130	2235	
CH 9531	1029913	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9532	1029914	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9533	1029915	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9534	1029916	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9535	1029917	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9536	1030789	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9537	1030790	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9538	1030791	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9539	1030792	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9540	1030793	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9541	1031040	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9542	1031041	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				

Barge	Official #	Type	Year Built	Builder	Hull Size			Gross Tons	# of Covers		Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft										
					L	W	D		W.T.	#				Type	2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
CH 9543	1031042	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	17"		1388	1492	1597	1701	1806	1912			
CH 9544	1031044	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	17"		1388	1492	1597	1701	1806	1912			
CH 9545	1031046	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	17"		1388	1492	1597	1701	1806	1912			
CMA 1001	1230040	B	2010	Trinity	200	35	14	823	5	9	FL	95,159	5'	17"	108	1528	1638	1747	1857	1966	2075	2185	2294	2403
CMA 1002	1230041	B	2010	Trinity	200	35	14	823	5	9	FL	95,159	5'	17"	108	1528	1638	1747	1857	1966	2075	2185	2294	2403
ES 301	1233899	R	2011	Jeffboat	200	35	13	764	5	9	FL	77,302	4'	1'-7.3"	78	1429	1536	1643	1751	1858	1966	2075	2184	
ESRT 101	1222450	R	2009	Trinity	195	35	12	687	5		O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050		
ESRT 102	1222452	R	2009	Trinity	195	35	12	687	5		O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050		
ESRT 201B	1222453	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225		
ESRT 202B	1222454	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225		
ESRT 203B	1222455	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225		
H0231	1124121	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0232	1124122	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0233	1124123	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0234	1124125	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0235	1124126	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0236	1124128	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0237	1124129	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0238	1124130	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0239	1124131	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0240	1124132	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0241	1124133	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0242	1124134	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0243	1124135	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0244	1124136	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
H0245	1124137	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	17"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275
HB0251	1124138	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0252	1124139	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0253	1124140	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0254	1124141	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0255	1124142	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0256	1124143	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0257	1124144	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0258	1124145	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0259	1124146	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
HB0260	1124147	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	17"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399
JEM 1R	1254724	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	19"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JEM 3R	1254725	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	19"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JEM 2B	1254726	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	17"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JEM 4B	1254727	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	17"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JEM 6B	1254728	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	17"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JEM 8B	1254729	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	17"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JEM 1401	1274016	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1' 6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278

Barge	Official #	Type	Year Built	Builder	Hull Size			Gross Tons	# of Covers		Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft										
					L	W	D		W.T.	#				Type	2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
JEM 1402	1274017	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1' 6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278
JEM 1403	1274696	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1' 6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278
JEM 1421B	1274312	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411
JEM 1422B	1274313	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411
JEM 1423B	1274314	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411
JEM 1424B	1274315	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411
JEM 1425B	1274695	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,915	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411
JEM 360	1049473	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JEM 361	1049474	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JEM 362	1049475	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JEM 363	1049476	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JEM 364	1049477	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JEM 365	1049478	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JEM 366	1049479	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JEM 367	1049480	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JEM 368	1049481	B	1996	Jeff boat	200	35	13	735	5		O	84,155	4'	1'6.3"	105	1528	1637	1747	1856	1965	2075	2184	2293	
JPF 5R	1255258	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 7R	1255259	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 9R	1255260	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 11R	1255261	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 13R	1255262	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 15R	1255263	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 17R	1255264	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 19R	1255265	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 21R	1255266	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 23R	1255267	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 25R	1255268	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 27R	1255269	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 29R	1255270	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156	
JPF 10B	1255252	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JPF 12B	1255253	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JPF 14B	1255254	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JPF 16B	1255255	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JPF 18B	1255256	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JPF 20B	1255257	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272	
JPR 1201B	1244119	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'	1'7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403
JPR 1202B	1244120	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'	1'7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403
JPR 1401B	1255250	B	2014	Trinity	200	35	14	823	5	9	FL	95,159	5'	1'7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403
JPR 1402B	1255251	B	2014	Trinity	200	35	14	823	5	9	FL	95,159	5'	1'7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403
KAM 2B	1128961	B	1996	Trinity	200	35	13	823	5		O	84,412	4'	1'4.6"	135	1555	1665	1774	1883	1993	2102	2211	2320	
MEM 301	1045959	R	1996	Jeff boat	200	35	13	764	5		O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MEM 302	1042603	R	1996	Jeff boat	200	35	13	764	5		O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MEM 303	1042605	R	1996	Jeff boat	200	35	13	764	5		O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	

Barge	Official #	Type	Year Built	Builder	Hull Size			Gross Tons	# of Covers		Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
					L	W	D		W.T.	#				Type	2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"
MEM 304	1042609	R	1996	Jeff boat	200	35	13	764	5	O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MEM 305	1042610	R	1996	Jeff boat	200	35	13	764	5	O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MEM 306	1042611	R	1996	Jeff boat	200	35	13	764	5	O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MEM 307	1043858	R	1996	Jeff boat	200	35	13	764	5	O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MEM 308	1043863	R	1996	Jeff boat	200	35	13	764	5	O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MEM 309	1043865	R	1996	Jeff boat	200	35	13	764	5	O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MEM 310	1043867	R	1996	Jeff boat	200	35	13	764	5	O	77,375	4'	1.68	65	1418	1525	1632	1739	1847	1956	2064	2172	
MSM 2525B	1274311	B	2016	Jeff boat	200	35	14	823	5	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411
MTC 0103	1186504	R	2006	Jeff boat	200	35	13	764	5	O	72,356	3'	1' 5"		1457	1564	1671	1779	1887	1995	2103		
MTC 0112	1186513	R	2006	Jeff boat	200	35	13	764	5	O	72,356	3'	1' 5"		1457	1564	1671	1779	1887	1995	2103		
MTC 0114	1186515	R	2006	Jeff boat	200	35	13	764	5	O	72,356	3'	1' 5"		1457	1564	1671	1779	1887	1995	2103		
MTC 0141B	1186491	B	2006	Jeff boat	200	35	13	764	5	O	78,864	3'	1' 5"		1542	1651	1760	1870	1979	2088	2196		
MTC 0143B	1186493	B	2006	Jeff boat	200	35	13	764	5	O	78,864	3'	1' 5"		1542	1651	1760	1870	1979	2088	2196		
MTC 0145B	1186495	B	2006	Jeff boat	200	35	13	764	5	O	78,864	3'	1' 5"		1542	1651	1760	1870	1979	2088	2196		
MTC 0146B	1186496	B	2006	Jeff boat	200	35	13	764	5	O	78,864	3'	1' 5"		1542	1651	1760	1870	1979	2088	2196		
MTC 0176	1232725	R	2011	Jeff boat	200	35	13	764	5	O	72,356	3'	1.6		1441	1548	1655	1762	1870	1978	2086		
MTC 0184	1232735	R	2006	Jeff boat	200	35	13	764	5	O	72,356	3'	1.6		1441	1548	1655	1762	1870	1978	2086		
MTC 6061	1180488	R	2006	Jeff boat	200	35	13	764	4	O	77,588	4'	1.6		1441	1547	1654	1761	1868	1976	2084		
MTC 6191	1180409	R	2006	Jeff boat	200	35	13	764	4	O	77,588	4'	1.5		1441	1547	1654	1761	1868	1976	2084		
MTC 6251	1180415	R	2006	Jeff boat	200	35	13	764	4	O	77,588	4'	1.6		1441	1547	1654	1761	1868	1976	2084		
MTC 6351	1180459	R	2006	Jeff boat	200	35	13	764	4	O	84,121	4'	1.6		1441	1547	1654	1761	1868	1976	2084		
MTC 6631B	1190923	B	2006	Jeff boat	200	35	13	764	5	O	84,413	4'	1.4		1547	1657	1766	1875	1985	2094	2202		
MTC 6671B	1180425	B	2006	Jeff boat	200	35	13	764	5	O	84,413	4'	1.4		1547	1657	1766	1875	1985	2094	2202		
MTC 6691B	1180511	B	2006	Jeff boat	200	35	13	764	5	O	84,413	4'	1.5		1547	1657	1766	1875	1985	2094	2202		
MTC 6751B	1180429	B	2006	Jeff boat	200	35	13	764	5	O	84,413	4'	1.4		1547	1657	1766	1875	1985	2094	2202		
MTC 803B	1237913	B	2012	Jeff boat	200	35	13	764	5	O	84,121	4'	1.5		1528	1637	1746	1856	1965	2074	2182		
MTC 807B	1237918	B	2012	Jeff boat	200	35	13	764	5	O	84,413	4'	1.5		1528	1637	1746	1856	1965	2074	2182		
MTC 810B	1237922	B	2012	Jeff boat	200	35	13	764	5	O	84,121	4'	1.5		1528	1637	1746	1856	1965	2074	2182		
MTC 811B	1237923	B	2012	Jeff boat	200	35	13	764	5	O	84,121	4'	1.5		1528	1637	1746	1856	1965	2074	2182		
MTC 812B	1237924	B	2012	Jeff boat	200	35	13	764	5	O	84,121	4'	1.5		1528	1637	1746	1856	1965	2074	2182		
MTC 815B	1237927	B	2012	Jeff boat	200	35	13	764	5	O	84,121	4'	1.5		1528	1637	1746	1856	1965	2074	2182		
MTC 816B	1237928	B	2012	Jeff boat	200	35	13	764	5	O	84,121	4'	1.5		1528	1637	1746	1856	1965	2074	2182		
MTC 818B	1237930	B	2012	Jeff boat	200	35	13	764	5	O	84,121	4'	1.5		1528	1637	1746	1856	1965	2074	2182		
PGM 101	1237103	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 102	1237104	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 103	1237105	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 104	1237106	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 105	1237107	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 106	1236939	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 107	1236940	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 108	1236941	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 109	1236883	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 110	1236884	R	2011	Jeff boat	200	35	13	764	5	9 FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	

Barge	Official #	Type	Year Built	Builder	Hull Size			Gross Tons	# of Covers		Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft										
					L	W	D		W.T.	#				Type	2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
PGM 244B	1242657	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	17"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 245B	1242741	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	17"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 246B	1242742	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	17"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 247B	1242743	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	17"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 248B	1242744	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	17"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 249B	1242745	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	17"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 250B	1242746	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	17"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 301	1240758	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 302	1240759	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 303	1240760	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 304	1240761	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 305	1240762	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 306	1240763	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 307	1240764	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 308	1240765	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 309	1240524	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
PGM 310	1240525	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	18"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277
RNR 321	1273993	R	2016	Trinity	200	35	14	823	4	9	FL	87,115	5'	18"	72	1418	1524	1631	1738	1845	1952	2060	2168	2277
SCF 2503	1169705	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2504	1169706	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2507	1169719	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2508	1169709	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2509	1169718	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2510	1169710	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2511	1169717	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2512	1169711	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2514	1169712	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2515	1169715	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2517	1169714	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	16"		1446	1552	1659	1766	1873	1980	2087	2194	
SCF 2550B	1163930	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2551B	1163932	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2552B	1163926	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2554B	1163924	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2555B	1163922	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2556B	1163921	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2557B	1163920	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2558B	1163919	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2560B	1163915	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2562B	1163912	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2563B	1163911	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2564B	1163909	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2565B	1163907	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	
SCF 2566B	1163906	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	14"		1555	1665	1774	1883	1993	2102	2211	2330	

Barge	Official #	Type	Year Built	Builder	Hull Size			Gross Tons	# of Covers			Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
					L	W	D		W.T.	#	Type				2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
SCF 2567B	1163904	B	2005	Trinity	200	35	13	764	5		O	89,802	4'		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2568B	1163902	B	2005	Trinity	200	35	13	764	5		O	89,802	4'		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2572B	1169700	B	2005	Trinity	200	35	13	764	5		O	89,802	4'		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2573B	1169701	B	2005	Trinity	200	35	13	764	5		O	89,802	4'		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2575B	1169703	B	2005	Trinity	200	35	13	764	5		O	89,802	4'		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2576B	1169704	B	2005	Trinity	200	35	13	764	5		O	89,802	4'		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 26002	1182439	R	2006	Trinity	200	35	13	764	5		O	77,196	5'		1446	1552	1659	1766	1873	1980	2087	2194		
SRL 1101B	1236211	B	2011	Trinity	200	35	13	764	5	9	FL	89,554	5'		122	1542	1652	1761	1870	1980	2089	2198	2307	
SRL 1502B	1263740	B	2015	Trinity	200	35	14	823	5	9	FL	95,177	5'		104	1524	1634	1743	1853	1962	2071	2181	2290	2399
TJA 1201B	1244098	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'		106	1526	1636	1745	1855	1964	2073	2183	2292	2401
TJA 1202B	1244099	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'		106	1526	1636	1745	1855	1964	2073	2183	2292	2401
TJA 1203B	1244100	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'		106	1526	1636	1745	1855	1964	2073	2183	2292	2401
UND 1401	1274038	R	2016	Jeff boat	200	35	14	823			O	87,350	5'		77	1427	1533	1640	1747	1855	1963	2071	2179	2288
UND 1403	1274039	R	2016	Jeff boat	200	35	14	823			O	87,350	5'		77	1427	1533	1640	1747	1855	1963	2071	2179	2288
UND 1402B	1274040	B	2016	Jeff boat	200	35	14	823			O	94,914	5'		111	1530	1639	1748	1857	1967	2076	2185	2294	2422
UND 1404B	1274041	B	2016	Jeff boat	200	35	14	823			O	94,914	5'		111	1530	1639	1748	1857	1967	2076	2185	2294	2422
UND 1406B	1274042	B	2016	Jeff boat	200	35	14	823			O	94,914	5'		111	1530	1639	1748	1857	1967	2076	2185	2294	2422