

9/4/2020 307 bgs

Tonnages listed are ESTIMATED for planning purposes and they are based on a series of new barges and a barge in level loading condition with all voids free of water and sediment. Cargo weights should be determined using scale weights or other verifiable methods.

Barge	Official #	Type	Year Built	Builder	Hull Size			Gross Tons	W.T.	#	Covers Type	Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
					L	W	D								2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
AEP 609B	1128956	B	2002	Trinity	200	35	13	764	5		O	84,412	4'	1'5"	124	1554	1664	1773	1882	1992	2101	2210		
AEP 610B	1128957	B	2002	Trinity	200	35	13	764	5		O	84,412	4'	1'5"	124	1554	1664	1773	1882	1992	2101	2210		
ALM 1R	1258418	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185	
ALM 3R	1258419	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185	
ALM 5R	1258420	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185	
ALM 7R	1258421	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185	
ALM 9R	1258422	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185	
ALM 11R	1258423	R	2015	Trinity	200	35	13	764	4		O	77,196	4'	1'6"	88	1434	1540	1647	1754	1861	1969	2077	2185	
ALM 2B	1258424	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305	
ALM 4B	1258425	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305	
ALM 6B	1258426	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305	
ALM 8B	1258427	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305	
ALM 10B	1258428	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305	
ALM 12B	1258429	B	2015	Trinity	200	35	13	764	5		O	84,427	4'	1'5"	119	1539	1649	1758	1867	1977	2086	2195	2305	
B 0753	1196906	R	2007	Jeffboat	200	35	13	764	5		O	70,198	3'	1'6"		1423	1530	1638	1745	1853	1962	2070	2179	
B 0757	1196915	R	2007	Jeffboat	200	35	13	764	5		O	70,198	3'	1'6"		1423	1530	1638	1745	1853	1962	2070	2179	
B 0758B	1196910	B	2007	Jeffboat	200	35	13	764	5		O	78,742	3'	1'6"		1514	1623	1723	1842	1951	2060	2170	2279	
B 0761B	1196913	B	2007	Jeffboat	200	35	13	764	5		O	78,742	3'	1'6"		1514	1623	1723	1842	1951	2060	2170	2279	
BASH 1	1211374	R	2008	Trinity	195	35	12	687	5		O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050		
BJP 1401	1274152	R	2016	Jeffboat	200	35	14	823	5		O	87,350	5'	1'6"	77	1427	1533	1640	1747	1855	1963	2071	2179	2288
BJP 1402B	1274153	B	2016	Jeffboat	200	35	14	823	5		O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422
CH 9371	993510	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9372	993511	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9373	993512	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9374	993513	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9375	993514	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9376	994781	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9377	994782	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9378	994783	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9379	994784	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9380	994785	R	1993	Jeffboat	195	35	12	687	5	9	FL	70,440	4'	1'7"	73	1395	1500	1605	1710	1815	1920			
CH 9531	1029913	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9532	1029914	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9533	1029915	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9534	1029916	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9535	1029917	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9536	1030789	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9537	1030790	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9538	1030791	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9539	1030792	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9540	1030793	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			
CH 9541	1031040	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912			

Barge	Official #	Type	Year	Built	Builder	Hull Size			Gross Tons	# of Covers			Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
						L	W	D		W.T.	#	Type				2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
CH 9542	1031041	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9543	1031042	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9544	1031044	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
CH 9545	1031046	R	1995	Trinity	195	35	12	687	4	8	FL	70,506	4'	1'7"		1388	1492	1597	1701	1806	1912				
ES 301	1233899	R	2011	Jeffboat	200	35	13	764	5	9	FL	77,302	4'	1'-7.3"	78	1429	1536	1643	1751	1858	1966	2075	2184		
ESRT 101	1222450	R	2009	Trinity	195	35	12	687	5		O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050			
ESRT 102	1222452	R	2009	Trinity	195	35	12	687	5		O	60,628	2'	1'6"		1420	1524	1629	1733	1839	1944	2050			
ESRT 201B	1222453	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225			
ESRT 202B	1222454	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225			
ESRT 203B	1222455	B	2009	Trinity	200	35	12	705	5		O	69,041	2'	1'4"		1568	1678	1787	1897	2006	2115	2225			
H0231	1124121	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0232	1124122	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0233	1124123	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0234	1124125	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0235	1124126	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0236	1124128	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0237	1124129	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0238	1124130	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0239	1124131	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0240	1124132	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0241	1124133	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0242	1124134	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0243	1124135	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0244	1124136	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
H0245	1124137	R	2002	Trinity	200	35	13	764	4		O	77,216	4'	1'7"	69	1415	1521	1628	1735	1842	1950	2058	2166	2275	
HB0251	1124138	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0252	1124139	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0253	1124140	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0254	1124141	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0255	1124142	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0256	1124143	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0257	1124144	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0258	1124145	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0259	1124146	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
HB0260	1124147	B	2002	Trinity	200	35	13	764	4		O	84,412	4'	1'7"	104	1524	1634	1743	1852	1962	2071	2180	2290	2399	
JEM 1R	1254724	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156		
JEM 3R	1254725	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1'9"	56	1395	1502	1610	1718	1826	1936	2045	2156		
JEM 2B	1254726	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272		
JEM 4B	1254727	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272		
JEM 6B	1254728	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272		
JEM 8B	1254729	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1'7"	85	1504	1613	1723	1833	1942	2052	2162	2272		
JEM 1401	1274016	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1'6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278	
JEM 1402	1274017	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1'6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278	

Barge	Official #	Type	Year	Built	Builder	Hull Size			Gross Tons	# of Covers			Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft										
						L	W	D		W.T.	#	Type				2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"	
JEM 1403	1274696	R	2016	Jeff boat	200	35	14	823	5	9	FL	87,350	5'	1' 6"	67	1417	1523	1630	1737	1845	1953	2061	2169	2278		
JEM 1421B	1274312	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JEM 1422B	1274313	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JEM 1423B	1274314	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JEM 1424B	1274315	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,914	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JEM 1425B	1274695	B	2016	Jeff boat	200	35	14	823	5	9	FL	94,915	5'	1' 6"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		
JPF 5R	1255258	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 7R	1255259	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 9R	1255260	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 11R	1255261	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 13R	1255262	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 15R	1255263	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 17R	1255264	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 19R	1255265	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 21R	1255266	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 23R	1255267	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 25R	1255268	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 27R	1255269	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 29R	1255270	R	2014	BMP	200	35	13	764	5	9	FL	77,166	4'	1' 9"	56	1395	1502	1610	1718	1826	1936	2045	2156			
JPF 10B	1255252	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1' 7"	85	1504	1613	1723	1833	1942	2052	2162	2272			
JPF 12B	1255253	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1' 7"	85	1504	1613	1723	1833	1942	2052	2162	2272			
JPF 14B	1255254	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1' 7"	85	1504	1613	1723	1833	1942	2052	2162	2272			
JPF 16B	1255255	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1' 7"	85	1504	1613	1723	1833	1942	2052	2162	2272			
JPF 18B	1255256	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1' 7"	85	1504	1613	1723	1833	1942	2052	2162	2272			
JPF 20B	1255257	B	2014	BMP	200	35	13	764	5	9	FL	83,925	4'	1' 7"	85	1504	1613	1723	1833	1942	2052	2162	2272			
JPR 1201B	1244119	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'	1' 7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403		
JPR 1202B	1244120	B	2012	Trinity	200	35	14	823	5	9	FL	95,159	5'	1' 7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403		
JPR 1401B	1255250	B	2014	Trinity	200	35	14	823	5	9	FL	95,159	5'	1' 7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403		
JPR 1402B	1255251	B	2014	Trinity	200	35	14	823	5	9	FL	95,159	5'	1' 7"	106	1526	1636	1745	1855	1964	2073	2183	2293	2403		
KAM 2B	1128961	B	1996	Trinity	200	35	13	823	5		O	84,412	4'	1' 4.6"	135	1555	1665	1774	1883	1993	2102	2211	2320			
MKJ 1431B	1302556	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1' 7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
MKJ 1432B	1302557	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1' 7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
MKJ 1433B	1302558	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1' 7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
MKJ 1434B	1302559	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1' 7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
MKJ 1435B	1302560	B	2020	Arcosa	200	35	14	823	5	9	FL	95,177	5'	1' 7"	95	1515	1625	1734	1844	1953	2062	2172	2281	2390		
MSM 2525B	1274311	B	2016	Jeff boat	200	35	14	823	5		FL	94,914	5'	1' 6.8"	100	1519	1628	1737	1846	1956	2065	2174	2283	2411		
PGM 101	1237103	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1' 6 "	92	1445	1552	1659	1766	1874	1982	2091	2200			
PGM 102	1237104	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1' 6 "	92	1445	1552	1659	1766	1874	1982	2091	2200			
PGM 103	1237105	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1' 6 "	92	1445	1552	1659	1766	1874	1982	2091	2200			
PGM 104	1237106	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1' 6 "	92	1445	1552	1659	1766	1874	1982	2091	2200			
PGM 105	1237107	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1' 6 "	92	1445	1552	1659	1766	1874	1982	2091	2200			
PGM 106	1236939	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1' 6 "	92	1445	1552	1659	1766	1874	1982	2091	2200			
PGM 107	1236940	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1' 6 "	92	1445	1552	1659	1766	1874	1982	2091	2200			

Barge	Official #	Type	Year	Built	Builder	Hull Size			Gross Tons	# of Covers		Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
						L	W	D		W.T.	#				Type	2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"
PGM 108	1236941	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 109	1236883	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 110	1236884	R	2011	Jeff boat	200	35	13	764	5	9	FL	82,413	4'	1'6 "	92	1445	1552	1659	1766	1874	1982	2091	2200	
PGM 201B	1238963	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 202B	1238964	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 203B	1238965	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 204B	1238966	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 205B	1238967	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 206B	1238968	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 207B	1238969	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 208B	1238970	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 209B	1238971	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 210B	1238972	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 211B	1239487	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 212B	1239488	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 213B	1239489	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 214B	1239490	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 215B	1239491	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 216B	1239492	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 217B	1239493	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 218B	1239494	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 219B	1239495	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 220B	1239496	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 221B	1239973	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 222B	1239974	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 223B	1239975	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 224B	1239976	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 225B	1239977	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 226B	1239978	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 227B	1239979	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 228B	1239980	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 229B	1240199	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 230B	1240200	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 231B	1240201	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 232B	1240202	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 233B	1240203	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 234B	1240204	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 235B	1240205	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 236B	1240206	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 237B	1240207	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 238B	1240208	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 239B	1240756	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376
PGM 240B	1240757	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376

Barge	Official #	Type	Year	Built	Builder	Hull Size			Gross Tons	# of Covers			Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
						L	W	D		W.T.	#	Type				2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
PGM 241B	1242466	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 242B	1242782	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 243B	1242656	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 244B	1242657	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 245B	1242741	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 246B	1242742	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 247B	1242743	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 248B	1242744	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 249B	1242745	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 250B	1242746	B	2012	Jeff boat	200	35	14	823	5	9	FL	94,826	5'	1'7"	84	1503	1612	1721	1830	1940	2049	2158	2267	2376	
PGM 251B	1304144	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 252B	1304145	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 253B	1304148	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 254B	1304149	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 255B	1304150	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 256B	1304151	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 257B	1304152	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 258B	1304153	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 259B	1304154	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 260B	1304155	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 261B	1304156	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 262B	1304157	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 263B	1304158	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 264B	1304159	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 265B	1304160	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 266B	1304161	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 267B	1304162	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 268B	1304163	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 269B	1304164	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 270B	1304165	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 271B	1304166	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 272B	1304167	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 273B	1304168	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 274B	1304169	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 275B	1304170	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 276B	1304171	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 277B	1304172	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 278B	1304173	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 279B	1304174	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 280B	1304175	B	2020	Arcosa	200	35	14	823	5	9	FL	87,115	5'	1'8"	102	1522	1632	1741	1851	1960	2069	2179	2288	2397	
PGM 301	1240758	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 302	1240759	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 303	1240760	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	

Barge	Official #	Type	Year	Built	Builder	Hull Size			Gross Tons	# of Covers			Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
						L	W	D		W.T.	#	Type				2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
PGM 304	1240761	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 305	1240762	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 306	1240763	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 307	1240764	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 308	1240765	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 309	1240524	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 310	1240525	R	2012	Jeff boat	200	35	14	823	5	9	FL	87,333	5'	1'8"	60	1413	1520	1627	1734	1842	1950	2059	2168	2277	
PGM 311	1303656	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 312	1303657	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 313	1303658	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 314	1303659	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 315	1303660	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 316	1303661	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 317	1303662	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 318	1303663	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 319	1303664	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 320	1303665	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 321	1303666	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 322	1303667	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 323	1303668	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 324	1303669	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 325	1303670	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 326	1303671	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 327	1303672	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 328	1303673	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 329	1304141	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
PGM 330	1304143	R	2002	Arcosa	200	35	14	823	4	9	FL	75,433	5'	1'8"	71	1417	1523	1630	1737	1844	1951	2059	2167	2276	
RF 432B	1176501	B	2005	Jeff boat	200	35	13	764	5		O	78,775	3'		88	1513	1620	1727	1838	1945	2057	2164	2276		
RF 433B	1176502	B	2005	Jeff boat	200	35	13	764	5		O	78,775	3'		88	1513	1620	1727	1838	1945	2057	2164	2276		
RF 434B	1176504	B	2005	Jeff boat	200	35	13	764	5		O	78,775	3'		88	1513	1620	1727	1838	1945	2057	2164	2276		
RF 436B	1176507	B	2005	Jeff boat	200	35	13	764	5		O	78,775	3'		88	1513	1620	1727	1838	1945	2057	2164	2276		
RF 437B	1176508	B	2005	Jeff boat	200	35	13	764	5		O	78,775	3'		88	1513	1620	1727	1838	1945	2057	2164	2276		
RF 438B	1176509	B	2005	Jeff boat	200	35	13	764	5		O	78,775	3'		88	1513	1620	1727	1838	1945	2057	2164	2276		
RF 501	1178784	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 502	1178785	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 508	1179145	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 509	1179146	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 510	1179147	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 511	1179148	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 512	1179163	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 513	1179149	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 514	1179162	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 515	1179150	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		

Barge	Official #	Type	Year	Built	Builder	Hull Size			Gross Tons	# of Covers			Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
						L	W	D		W.T.	#	Type				2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"	12'6"
RF 516	1179161	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 517	1179151	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 518	1179160	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 519	1179152	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 520	1179159	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 521	1179153	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 522	1179158	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 523	1179157	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 524	1179156	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 525	1179155	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RF 526	1179154	R	2005	Jeff boat	200	35	13	764	5		O	70,198	3'		57	1414	1521	1628	1736	1843	1952	2059	2170		
RNR 321	1273993	R	2016	Trinity	200	35	14	823	4	9	FL	87,115	5'	1'8"	72	1418	1524	1631	1738	1845	1952	2060	2168	2277	
SCF 2503	1169705	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2504	1169706	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2507	1169719	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2508	1169709	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2509	1169718	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2510	1169710	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2511	1169717	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2512	1169711	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2514	1169712	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2515	1169715	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2517	1169714	R	2005	Trinity	200	35	13	764	5		O	77,196	4'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194		
SCF 2550B	1163930	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2551B	1163932	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2552B	1163926	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2554B	1163924	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2555B	1163922	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2556B	1163921	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2557B	1163920	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2558B	1163919	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2560B	1163915	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2562B	1163912	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2563B	1163911	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2564B	1163909	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2565B	1163907	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2566B	1163906	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2567B	1163904	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2568B	1163902	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2572B	1169700	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2573B	1169701	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2575B	1169703	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		
SCF 2576B	1169704	B	2005	Trinity	200	35	13	764	5		O	89,802	4'	1'4"		1555	1665	1774	1883	1993	2102	2211	2330		

Barge	Official #	Year	Type	Built	Builder	Hull Size			# of Covers			Cubic Capacity	Coaming Height(ft)	Light Draft	Estimated Short Tons At Indicated Draft									
						L	W	D	Gross Tons	W.T.	#				Type	2'0"	8'6"	9'0"	9'6"	10'0"	10'6"	11'0"	11'6"	12'0"
SCF 26002	1182439	R	2006	Trinity	200	35	13	764	5		O	77,196	5'	1'6"		1446	1552	1659	1766	1873	1980	2087	2194	
SUEQ41B	1038516	B	1995	Trinity	200	35	14	823	5		FL	95,158	5'	1'5.5"	114	1535	1644	1753	1863	1972	2082	2191	2304	2410
UND 1401	1274038	R	2016	Jeff boat	200	35	14	823			O	87,350	5'	1'6"	77	1427	1533	1640	1747	1855	1963	2071	2179	2288
UND 1403	1274039	R	2016	Jeff boat	200	35	14	823			O	87,350	5'	1'6"	77	1427	1533	1640	1747	1855	1963	2071	2179	2288
UND 1402B	1274040	B	2016	Jeff boat	200	35	14	823			O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422
UND 1404B	1274041	B	2016	Jeff boat	200	35	14	823			O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422
UND 1406B	1274042	B	2016	Jeff boat	200	35	14	823			O	94,914	5'	1'6"	111	1530	1639	1748	1857	1967	2076	2185	2294	2422